
TentKote BROCHURE





Kote®


Working for our customers success!

TentKote

THE MOST EFFECTIVE WATERPROOF CLEAR COATING


This magical product has caused many to fall madly in love with it because of just how versatile and uncomplicated this clear protective coating is. You can easily apply it to any tent material that may seem weathered and old or brand spanking new.

This clear, water based, eco-friendly product has been especially designed to waterproof just about any material out there, but you do need to ensure you apply the product correctly for the best results.



TentKote

THE BREAKDOWN OF TENTKOTE AND ITS PROTOCOLS



SPREADRATE/COVERAGE

TentKote covers 8 square meters per liter per coat

*Depends on the absorbency of the fabric and the dilution rate.



SELF CLEANING

This clear product is scrubbable and 100% self cleaning making easy to maintain



PROTOCOL

TentKote can be applied with as many coats as required.

*Check the instructions page of this brochure for more details



THE TOOLS

TentKote is a water based product, meaning the only liquid you need to clean your paintbrush, roller or spray machine is water




PROPERTIES OF TENTKOTE

TentKote is an eco-friendly, UV Stable, VOC free, hydrophobic, flexible, dries clear, resistance to any new growth of algae and lichen fungus, and incredible adhesion and scrubbable properties



CURING AND DRYING TIMES

TentKote requires warmer sunny weather in order to dry and cure. Drying time between coats is 30 mins to 1 hr, and TentKote takes 7 full days to cure with no rain.



TentKote

KNOWLEDGE IS KEY

TentKote is an extremely high grade acrylic copolymer with self-crosslinking coalescent characteristics formulated with super-enhancing additives that transform the nature of the copolymer into a clear, “rubbery” flexible and stretchy film of protection against weather conditions.

Revolutionary Transparent Coating

THE FUTURE OF PROTECTIVE COATINGS

If your protection against water ingress and weathering is transparent, it allows for rapid diagnosis of the area of damage.
Once you know where the leak is, it takes literally minutes to repair.
This is a totally new approach to waterproofing and maintenance.

TentKote

SURFACE PREPARATION

*Please Note: We do not offer any guarantees

Preparing the tent material is vitally important, just like anything you need to ensure the surface is properly clean before applying it.

1. Make sure your surface is well inspected and repair any areas where water may seep through.

2. Clean the surface with a powerful degreaser. We recommend our KleenKote for this application but any powerful degreaser will do.

3. Rinse THOROUGHLY and leave to dry for a few hours on a warm day.

INSTRUCTIONS

TentKote should be applied as follows: (Do not deviate from our instructions)

1. Dilute TentKote with thirty percent (30%) water and apply directly onto the tent material. This can be done by dipping a soft bristled brush into a bucket of the solution and brushing it onto the surface or you can use an airless spray gun to apply the product for a larger area.

2. Once this diluted ‘primer’ coat of TentKote has dried, you can test the fabric by splashing some water onto it to see if there is water penetration.


3. If there is water penetration then apply a second coat of diluted TentKote and repeat the water test.

4. If another coat is required wait about two hours before applying the third and final coat. Be sure to apply generously this is not a paint, it is a protective coating and the thicker it is applied the longer life span you will enjoy.

5. Treat the seams with undiluted TentKote for added protection.

Be sure to do this work in good weather and although TentKote dries in two hours, it will take seven days to cure fully.





TentKote

VERSATILE, FLEXIBLE AND WATERPROOF








TentKote can be used on a variety of fabrics to help waterproof it.
The wonderful part of TentKote is its easy to apply and can be brushed onto just the seams or sprayed onto the entire canvas or nylon material.

TentKote is a product manufactured by Kote Products (Pty) Ltd

Find more information about TentKote and other Kote Products on our website
or feel free to get in touch via email or simply call
www.kote.co.za - 0312616866
Technical Advice: dave@kote.co.za
Admin: kels@kote.co.za

Kote®

Working for our customers success!